

## SUBJECT INDEX\*

### A

#### **Ablation; see Catheter ablation**

#### **Academic medical centers**

Presidential address: Academic surgery: can we adapt (Mercer). 2005;138:115-24

#### **Acute lung injury; see Respiratory distress syndrome, adult**

#### **Adenocarcinoma**

Increased CDX2 and decreased PTZX1 homeobox gene expression in Barrett's esophagus and Barrett's-associated adenocarcinoma (Lord et al). 2005;138:924-31

Presence of distal intramural spread after preoperative combined-modality therapy for adenocarcinoma of the rectum: what is now the appropriate distal resection margin (Mezhir et al). 2005;138:658-64

A prospective randomized trial comparing standard pancreatoduodenectomy with pancreatoduodenectomy with extended lymphadenectomy in resectable pancreatic head adenocarcinoma (Farnell et al). 2005;138:618-30

Survivin, a potential biomarker in the development of Barrett's adenocarcinoma (Vallböhmer et al). 2005;138:701-7

#### **Adenoma, adrenal cortex**

Expression profiling of adrenocortical neoplasms suggests a molecular signature of malignancy (Velázquez-Fernández et al). 2005;138:1087-94

#### **Adenomatous polyposis coli**

Novel presentation and management of ileal pouch mucocele (Heise et al). 2005;138:100-2

#### **Adenosine triphosphate**

Perfusion preservation maintains myocardial ATP levels and reduces apoptosis in an ex vivo rat heart transplantation model (Peltz et al). 2005;138:795-805

#### **Adenoviridae**

Adenoviral gene transfer of an NF-KB super-repressor increases collagen deposition in rodent cutaneous wound healing (Schreiber et al). 2005;138:940-6

Synergistic tumoricidal effect between celecoxib and adenoviral-mediated delivery of mda-7 in human breast cancer cells (Suh et al). 2005;138:422-30

#### **Adolescent**

Obese teenagers treated by Lap-Band System: the Italian experience (Angrisani et al). 2005;138:877-81

#### **Adrenal cortex hormones**

Preliminary results with early corticosteroid withdrawal in African American renal allograft recipients (Gruber et al). 2005;138:772-9

#### **Adrenal cortex neoplasms**

Expression profiling of adrenocortical neoplasms suggests a molecular signature of malignancy (Velázquez-Fernández et al). 2005;138:1087-94

Laparoscopic resection of adrenal cortical carcinoma: a cautionary note (Gonzalez et al). 2005;138:1078-86

#### **Adrenal hyperplasia, congenital**

Clinical outcomes of laparoscopic adrenalectomy for lateralizing nodular hyperplasia (Novitsky et al). 2005;138:1009-17

#### **Adrenalectomy**

Clinical outcomes of laparoscopic adrenalectomy for lateralizing nodular hyperplasia (Novitsky et al). 2005;138:1009-17

Laparoscopic resection of adrenal cortical carcinoma: a cautionary note (Gonzalez et al). 2005;138:1078-86

#### **Adrenergic beta-antagonist**

A meta-analysis of perioperative beta blockade: what is the actual risk reduction (McGory et al). 2005;138:171-9

#### **Air microbiology**

Molecular epidemiology of microbial contamination in the operating room environment: is there a risk for infection (Edmiston et al). 2005;138:573-82

#### **Aldosterone**

Clinical outcomes of laparoscopic adrenalectomy for lateralizing nodular hyperplasia (Novitsky et al). 2005;138:1009-17

#### **Algorithms**

Preoperative evaluation of pancreatic cystic lesions: cost-benefit analysis and proposed management algorithm (Lim et al). 2005;138:672-80

#### **Alloantigens; see Isoantigens**

#### **Ambulatory surgical procedures**

Use of surgeon-performed office ultrasound and parathyroid fine needle aspiration for complex parathyroid localization (Stephen et al). 2005;138:1143-51

#### **American Association of Endocrine Surgeons**

Presidential address: a perspective on the future of endocrine surgery-challenges and opportunities in a time of rapid transformation (Kukora). 2005;138:965-70

#### **Analgesia, epidural**

Superiority of postoperative epidural over intravenous patient-controlled analgesia in orthopedic oncologic patients (Weinbroum). 2005;138:869-76

#### **Analgesia, patient-controlled**

Superiority of postoperative epidural over intravenous patient-controlled analgesia in orthopedic oncologic patients (Weinbroum). 2005;138:869-76

#### **Anastomosis, Roux-en-Y**

Changes in GI hormones and their effect on gastric emptying and transit times after Roux-en-Y gastric bypass in rat model (Suzuki et al). 2005;138:283-90

Prospective analysis of the incidence of deep venous thrombosis in bariatric surgery patients (Prystowsky et al). 2005;138:759-65

#### **Anastomosis, surgical**

Surgical outcome in patients with primary sclerosing cholangitis undergoing ileal pouch-anal anastomosis: a case-control study (Gorgun et al). 2005;138:631-9

#### **Androgen-insensitivity syndrome**

Unexpected finding during inguinal hernia repair in a girl (Kim and Warner). 2005;138:954-5

#### **Androstenediols**

Salutary effects of androstenediol on hepatic function after trauma-hemorrhage are mediated via peroxisome proliferators-activated receptor gamma (Shimizu et al). 2005;138:204-11

#### **Anesthesia**

Anesthesia-specific protection from endotoxic shock is not mediated through the vagus nerve (Fuentes et al). 2005;138:766-71

The end of religious fatalism: Boston as the venue for the demonstration of ether for the intentional relief of pain (Campagna). 2005;138:46-55

#### **Anesthesia, conduction**

Outpatient minimally invasive parathyroidectomy using local/regional anesthesia: a safe and effective operative approach for selected patients (Cohen et al). 2005;138:681-9

#### **Anesthesia, local**

Outpatient minimally invasive parathyroidectomy using local/regional anesthesia: a safe and effective operative

\*July pp. 1-114; August pp. 115-398; September pp. 399-545; October pp. 547-812; November pp. 813-964; December pp. 965-1230.

approach for selected patients (Cohen et al). 2005;138:681-9

**Angiogenesis; see Neovascularization, pathologic; Neovascularization, physiologic**

**Angiogenesis factor**

Diagnostic and prognostic value of angiogenesis-modulating genes in malignant thyroid neoplasms (Kebebew et al). 2005;138:1102-10

**Angioplasty**

Endovascular repair of thoracic aortic pathology with custom-made devices (Peterson et al). 2005;138:598-605

**Annexin VI**

Oxidative-induced calcium mobilization is dependent on annexin VI release from lipid rafts (Cuschieri et al). 2005;138:158-64

**Antigens, CD4**

Regional oral tolerance in transgenic 2C mice (Margenthaler and Flye). 2005;138:141-9

**Antigens, CD15**

The persistence of regulatory cells developing after rat spontaneous liver acceptance (Asakura et al). 2005;138:329-34

**Aortic aneurysm, abdominal**

Endoluminal repair of an acute aorto-left renal vein fistula (Shaheen et al). 2005;138:109-10

Mitochondrial-dependent apoptosis in experimental rodent abdominal aortic aneurysms (Sinha et al). 2005;138:806-11

**Aortic aneurysm, thoracic**

Decreased expression of fibulin-5 correlates with reduced elastin in thoracic aortic dissection (Wang et al). 2005;138:352-9

Endovascular repair of thoracic aortic pathology with custom-made devices (Peterson et al). 2005;138:598-605

**Apoptosis**

The effect of hepatocyte growth factor on gut mucosal apoptosis and proliferation, and cellular mediators after severe trauma (Jeschke et al). 2005;138:482-9

Mitochondrial-dependent apoptosis in experimental rodent abdominal aortic aneurysms (Sinha et al). 2005;138:806-11

Perfusion preservation maintains myocardial ATP levels and reduces apoptosis in an ex vivo rat heart transplantation model (Peltz et al). 2005;138:795-805

Regulation of the resistance to TRAIL-induced apoptosis as a new strategy for pancreatic cancer (Mori et al). 2005;138:71-7

Role for the double-stranded RNA-activated protein kinase PKR in Ad-TNF- $\alpha$  gene therapy in esophageal cancer (von Holzen et al). 2005;138:261-8

Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum-stress mediated apoptosis (Vilatoba et al). 2005;138:342-51

Suberoylanilide hydroxamic acid combined with gemcitabine enhances apoptosis in non-small cell lung cancer (Rundall et al). 2005;138:360-7

Targeted RNA interference of PI3K pathway components sensitizes colon cancer cells to TNF-related apoptosis-inducing ligand (TRAIL) (Rychahou et al). 2005;138:391-7

Valproic acid inhibits growth, induces apoptosis, and modulates apoptosis-regulatory and differentiation gene expression in human thyroid cancer cells (Shen et al). 2005;138:979-85

**Arginine**

Effects of L-arginine on the endogenous angiogenic response in a model of hypercholesterolemia (Nakai et al). 2005;138:291-8

**Arterio-venous fistula**

Endoluminal repair of an acute aorto-left renal vein fistula (Shaheen et al). 2005;138:109-10

**Arteriovenous anastomosis**

Intrahepatic venous anastomosis formation of the right liver in living donor liver transplantation: evaluations by Doppler ultrasonography and pulse-inversion ultrasonography with Levovist (Kaneko et al). 2005;138:21-7

**Autografts; see Transplantation, autologous**

**Axilla**

Molecular analysis improves sensitivity of breast sentinel lymph node biopsy: results of a multi-institutional prospective cohort study (Mikhitarian et al). 2005;138:474-81

**B**

**Barrett esophagus**

Increased CDX2 and decreased PTIZX1 homeobox gene expression in Barrett's esophagus and Barrett's-associated adenocarcinoma (Lord et al). 2005;138:924-31

Survivin, a potential biomarker in the development of Barrett's adenocarcinoma (Vallböhmer et al). 2005;138:701-7

**Beta blockers; see Adrenergic beta-antagonist**

**Bile**

Diagnosis and management of bile leaks after blunt liver injury (Wahl et al). 2005;138:742-8

**Bile acids and salts**

Ligand-dependent activation of the epidermal growth factor receptor by secondary bile acids in polarizing colon cancer cells (Merchant et al). 2005;138:415-21

**Biliary dyskinesia**

Biliary dyskinesia: the most common indication for cholecystectomy in children (Vegunta et al). 2005;138:726-33

**Biliary tract**

Pancreaticobiliary maljunction without choledochal dilatation associated with gallbladder cancer: report of 2 European cases (Adham et al). 2005;138:961 (Letter)

**Biomedical research**

Introduction: the rise of translational outcomes research (Warshaw et al). 2005;138:813-4

**Biopsy, needle**

Fine-needle aspiration biopsy specimen with a predominance of Hürthle cells: a dilemma in the management of nodular thyroid disease (Alaedein et al). 2005;138:650-7

Natural history of indeterminate pancreatic cysts (Walsh et al). 2005;138:665-71

Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75

Use of surgeon-performed office ultrasound and parathyroid fine needle aspiration for complex parathyroid localization (Stephen et al). 2005;138:1143-51

**Blacks**

Preliminary results with early corticosteroid withdrawal in African American renal allograft recipients (Gruber et al). 2005;138:772-9

**Blood substitutes**

Prehospital hemoglobin-based oxygen carrier resuscitation attenuates postinjury acute lung injury (Masuno et al). 2005;138:335-41

**Blumgart, Leslie H.**

A little teaching point for the fellows ... (DeMatteo). 2005;138:959-60

**Blunt trauma; see Wounds, nonpenetrating**

**Bone neoplasms**

Superiority of postoperative epidural over intravenous patient-controlled analgesia in orthopedic oncologic patients (Weinbroum). 2005;138:869-76

**Brain injuries**

Ubiquitin reduces fluid shifts after traumatic brain injury (Earle et al). 2005;138:431-8

**Breast diseases**

Comparative analysis of minimally invasive microductectomy versus major duct excision in patients with pathologic nipple discharge (Sharma et al). 2005;138:591-7

**Breast neoplasms**

- Factors predicting failure to identify a sentinel lymph node in breast cancer (Chagpar et al). 2005;138:56-63
- Molecular analysis improves sensitivity of breast sentinel lymph node biopsy: results of a multi-institutional prospective cohort study (Mikhitarian et al). 2005;138:474-81
- Synergistic tumoricidal effect between celecoxib and adenoviral-mediated delivery of mda-7 in human breast cancer cells (Suh et al). 2005;138:422-30

**Burns**

- The effect of hepatocyte growth factor on gut mucosal apoptosis and proliferation, and cellular mediators after severe trauma (Jeschke et al). 2005;138:482-9

**C****C-reactive protein**

- C-reactive protein decreases expression of thrombomodulin and endothelial protein C receptor in human endothelial cells (Nan et al). 2005;138:212-22

**Cadherins**

- E-cadherin is regulated by the transcriptional repressor SLUG during Ras-mediated transformation of intestinal epithelial cells (Schmidt et al). 2005;138:306-12

**Calcium**

- Revisiting lithium-associated hyperparathyroidism in the era of intraoperative parathyroid hormone monitoring (Hundley et al). 2005;138:1027-32
- Vascular endothelial growth factor stimulates a novel calcium-signaling pathway in vascular smooth muscle cells (Chandra and Angle). 2005;138:780-7

**Calcium binding proteins**

- Decreased expression of fibulin-5 correlates with reduced elastin in thoracic aortic dissection (Wang et al). 2005;138:352-9

**Carbon monoxide**

- Carbon monoxide inhalation ameliorates cold ischemia/reperfusion injury after rat liver transplantation (Kaizu et al). 2005;138:229-35

**Carcinoid tumor**

- Carcinoid tumors of the duodenum (Mullen et al). 2005;138:971-8
- Hairy Enhancer of Split-I (HES-1), a Notch1 effector, inhibits the growth of carcinoid tumor cells (Kunnimalaiyaan et al). 2005;138:1137-42

**Carcinoma, adrenal cortex**

- Expression profiling of adrenocortical neoplasms suggests a molecular signature of malignancy (Velázquez-Fernández et al). 2005;138:1087-94
- Laparoscopic resection of adrenal cortical carcinoma: a cautionary note (Gonzalez et al). 2005;138:1078-86

**Carcinoma, medullary**

- Selective arterial chemoembolization for hepatic metastases from medullary thyroid carcinoma (Lorenz et al). 2005;138:986-93

**Carcinoma, non-small cell lung**

- Suberoylanilide hydroxamic acid combined with gemcitabine enhances apoptosis in non-small cell lung cancer (Rundall et al). 2005;138:360-7

**Carcinoma, papillary**

- MUC1 plays a role in tumor maintenance in aggressive thyroid carcinomas (Patel et al). 2005;138:994-1002
- Nodal yield, morbidity, and recurrence after central neck dissection for papillary thyroid carcinoma (Pereira et al). 2005;138:1095-101

**Carcinoma, papillary, follicular**

- Molecular analysis of minimally invasive follicular carcinomas by gene profiling (Lubitz et al). 2005;138:1042-9
- Radioactive iodine offers survival improvement in patients with follicular carcinoma of the thyroid (Podnos et al). 2005;138:1072-7

- The treatment and prognosis of Hürthle cell follicular thyroid carcinoma compared with its non-Hürthle cell counterpart (Haigh and Urbach). 2005;138:1152-8

**Cardiopulmonary resuscitation**

- Direct energy delivery improves tissue perfusion after resuscitated shock (Zakaria et al). 2005;138:195-203

**Caroli's disease**

- Caroli's disease: liver resection and liver transplantation experience in 33 patients (Kassahun et al). 2005;138:888-98

**Cartoons; see The I.V. League****Case report**

- Editors' corner (Warshaw and Sarr). 2005;138:449

**Catheter ablation**

- Thermoablation of colorectal liver metastases promotes proliferation of residual intrahepatic neoplastic cells (von Breitenbuch et al). 2005;138:882-7

**CD4 lymphocyte count**

- Regional oral tolerance in transgenic 2C mice (Margenthaler and Flye). 2005;138:141-9

**Celecoxib; see Cyclooxygenase inhibitors****Cell cycle**

- Cell proliferation: a matter of time and place (Deane et al). 2005;138:1-7

**Cell division**

- Cell proliferation: a matter of time and place (Deane et al). 2005;138:1-7

**Cell transformation, neoplastic**

- Cell proliferation: a matter of time and place (Deane et al). 2005;138:1-7

**Chemoembolization, therapeutic**

- Selective arterial chemoembolization for hepatic metastases from medullary thyroid carcinoma (Lorenz et al). 2005;138:986-93

**Child**

- Biliary dyskinesia: the most common indication for cholecystectomy in children (Vegunta et al). 2005;138:726-33

**Child, preschool**

- Unexpected finding during inguinal hernia repair in a girl (Kim and Warner). 2005;138:954-5

**Cholangitis, sclerosing**

- Surgical outcome in patients with primary sclerosing cholangitis undergoing ileal pouch-anal anastomosis: a case-control study (Gorgun et al). 2005;138:631-9

**Cholecystectomy**

- Biliary dyskinesia: the most common indication for cholecystectomy in children (Vegunta et al). 2005;138:726-33

**Cholelithiasis**

- Biliary dyskinesia: the most common indication for cholecystectomy in children (Vegunta et al). 2005;138:726-33
- Gallstone ileus of the colon (Ishikura et al). 2005;138:540-2

**Cholestasis**

- Altered Kupffer cell function in biliary obstruction (Minter et al). 2005;138:236-45

**Cholestasis, intrahepatic**

- Repair after cholestatic liver injury correlates with neutrophil infiltration and matrix metalloproteinase 8 activity (Harty et al). 2005;138:313-20

**Cholic acids**

- Ligand-dependent activation of the epidermal growth factor receptor by secondary bile acids in polarizing colon cancer cells (Merchant et al). 2005;138:415-21

**Clinical competence**

- Six core competencies and seven deadly sins: a virtues-based approach to the new guidelines for graduate medical education (Larkin et al). 2005;138:490-7

**Clinical trials. see also Randomized controlled trials**

- Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

The surgeon's use of evidence to care for our patients (Moss). 2005;138:405-6 (Letter)

**Cognition disorders**

Parathyroidectomy improves neurocognitive deficits in patients with primary hyperparathyroidism (Roman et al). 2005;138:1121-9

**Cold**

Carbon monoxide inhalation ameliorates cold ischemia/reperfusion injury after rat liver transplantation (Kaizu et al). 2005;138:229-35

**Colitis, ulcerative**

Novel presentation and management of ileal pouch mucocele (Heise et al). 2005;138:100-2

**Collagen**

Adenoviral gene transfer of an NF-KB super-repressor increases collagen deposition in rodent cutaneous wound healing (Schreiber et al). 2005;138:940-6

**Collagen, type I**

Normal human fibroblasts enable melanoma cells to induce angiogenesis in type I collagen (Goldstein et al). 2005;138:439-49

**Colon**

Gallstone ileus of the colon (Ishikura et al). 2005;138:540-2

**Colonic neoplasms**

Ligand-dependent activation of the epidermal growth factor receptor by secondary bile acids in polarizing colon cancer cells (Merchant et al). 2005;138:415-21

Proteomic analysis of colonic myofibroblasts and effect on colon cancer cell proliferation (Chen et al). 2005;138:382-90

Targeted RNA interference of PI3K pathway components sensitizes colon cancer cells to TNF-related apoptosis-inducing ligand (TRAIL) (Rychahou et al). 2005;138:391-7

**Colonic polyps**

Proteomic analysis of colonic myofibroblasts and effect on colon cancer cell proliferation (Chen et al). 2005;138:382-90

**Colonic pouches**

Novel presentation and management of ileal pouch mucocele (Heise et al). 2005;138:100-2

Surgical outcome in patients with primary sclerosing cholangitis undergoing ileal pouch-anal anastomosis: a case-control study (Gorgun et al). 2005;138:631-9

**Colorectal neoplasms**

Thermoablation of colorectal liver metastases promotes proliferation of residual intrahepatic neoplastic cells (von Breitenbuch et al). 2005;138:882-7

**Commentaries; see Invited commentary**

**Common bile duct**

Pancreaticobiliary maljunction without choledochal dilatation associated with gallbladder cancer: report of 2 European cases (Adham et al). 2005;138:961 (Letter)

**Communication**

How surgeons disclose medical errors to patients: a study using standardized patients (Chan et al). 2005;138:851-8

**Competence; see Clinical competence**

**Computed tomography; see Tomography, x-ray computed**

**Computer simulations**

Skill retention following proficiency-based laparoscopic simulator training (Stefanidis et al). 2005;138:165-70

**Coronary artery diseases**

Effects of lysophosphatidylcholine on monolayer cell permeability of human coronary artery endothelial cells (Yan et al). 2005;138:464-73

**Correspondence; see Letters to the Editors**

**Cost-benefit analysis**

A description of morbidly obese state employees requesting a bariatric operation (Martin et al). 2005;138:690-700

Preoperative evaluation of pancreatic cystic lesions: cost-benefit analysis and proposed management algorithm (Lim et al). 2005;138:672-80

**Costs and cost analysis**

Partnering with payers to improve surgical quality: the Michigan plan (Birkmeyer et al). 2005;138:815-20

**Cross infection**

Molecular epidemiology of microbial contamination in the operating room environment: is there a risk for infection (Edmiston et al). 2005;138:573-82

**Cryopreservation**

Long-term functionality of cryopreserved parathyroid autografts: a 13-year prospective analysis (Cohen et al). 2005;138:1033-41

**Cryosurgery**

Interleukin-1 $\beta$  is prominent in the early pulmonary inflammatory response after hepatic injury (Glasgow et al). 2005;138:64-70

**Cyclin-dependent kinases**

Opposing roles for p21<sup>waf1/cip1</sup> and p27<sup>kip1</sup> in enterocyte differentiation, proliferation, and migration (Stehr et al). 2005;138:187-94

**Cyclooxygenase-2; see Prostaglandin-endoperoxide synthase**

**Cyclooxygenase inhibitors**

Synergistic tumorocidal effect between celecoxib and adeno-viral-mediated delivery of mda-7 in human breast cancer cells (Suh et al). 2005;138:422-30

**Cystic fibrosis**

Surgical considerations in cystic fibrosis: a 32-year evaluation of outcomes (Escobar et al). 2005;138:560-72

**Cytokines**

Anesthesia-specific protection from endotoxic shock is not mediated through the vagus nerve (Fuentes et al). 2005;138:766-71

Local inflammatory and thrombotic responses differ in a murine model of partial and complete hindlimb ischemia/reperfusion (Conrad et al). 2005;138:375-81

**D**

**Deep vein thrombosis; see Venous thrombosis**

**Dendritic cells**

Dendritic cells as therapeutic adjuncts in surgical disease (Clarke et al). 2005;138:844-50

Melanoma skews dendritic cells to facilitate a T helper 2 profile (McCarter et al). 2005;138:321-8

**Denervation**

Inhibition by nitric oxide and nonadrenergic, noncholinergic (NANC) nerves is preserved in a canine model of extrinsic denervation: implications for small bowel transplantation (Zyromski et al). 2005;138:905-12

**Deoxycholic acid**

Ligand-dependent activation of the epidermal growth factor receptor by secondary bile acids in polarizing colon cancer cells (Merchant et al). 2005;138:415-21

**Deoxycytidine**

Suberoylanilide hydroxamic acid combined with gemcitabine enhances apoptosis in non-small cell lung cancer (Rundall et al). 2005;138:360-7

**Diagnosis**

Present-at-admission diagnoses improve mortality risk adjustment and allow more accurate assessment of the relationship between volume of lung cancer operations and mortality risk (Stukenborg et al). 2005;138:498-507

**DNA-binding proteins**

Redox-mediated upregulation of hepatocyte iNOS transcription requires coactivator PC4 (Marroquin et al). 2005;138:93-9

**DNA microarray; see Oligonucleotide array sequences analysis**

**Doxycycline**

Hairy Enhancer of Split-I (HES-1), a Notch1 effector, inhibits the growth of carcinoid tumor cells (Kunnimalaiyaan et al). 2005;138:1137-42

**Duodenum**

Carcinoid tumors of the duodenum (Mullen et al). 2005;138:971-8

**E****Editorials**

Editors' corner (Warshaw and Sarr). 2005;138:449  
Hypothesis-Fact or Fiction (Warshaw and Sarr). 2005;138:403 (Editorial)

**Education, medical, graduate**

Analysis of errors enacted by surgical trainees during skills training courses (Tang et al). 2005;138:14-20  
Six core competencies and seven deadly sins: a virtues-based approach to the new guidelines for graduate medical education (Larkin et al). 2005;138:490-7  
Skill retention following proficiency-based laparoscopic simulator training (Stefanidis et al). 2005;138:165-70

**Educational measurement**

Feasibility, reliability and validity of an operative performance rating system for evaluating surgery residents (Larson et al). 2005;138:640-9

**Elastin**

Decreased expression of fibulin-5 correlates with reduced elastin in thoracic aortic dissection (Wang et al). 2005;138:352-9

**Electromyography**

Intraoperative neurophysiology testing of the recurrent laryngeal nerve: plaudits and pitfalls (Snyder and Hendricks). 2005;138:1183-92

**ELF-2 kinase**

Role for the double-stranded RNA-activated protein kinase PKR in Ad-TNF- $\alpha$  gene therapy in esophageal cancer (von Holzen et al). 2005;138:261-8

**Endocrine diseases**

Ultrasonography for the endocrine surgeon: a valuable clinical tool that enhances diagnostic and therapeutic outcomes (Milas et al). 2005;138:1193-201

**Endocrine surgical procedures**

Presidential address: a perspective on the future of endocrine surgery-challenges and opportunities in a time of rapid transformation (Kukora). 2005;138:965-70  
Ultrasonography for the endocrine surgeon: a valuable clinical tool that enhances diagnostic and therapeutic outcomes (Milas et al). 2005;138:1193-201

**Endoluminal exclusion; see Angioplasty****Endoplasmic reticulum**

Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum-stress mediated apoptosis (Vilatoba et al). 2005;138:342-51

**Endothelial growth factors**

Vascular endothelial growth factor stimulates a novel calcium-signaling pathway in vascular smooth muscle cells (Chandra and Angle). 2005;138:780-7

**Endothelium**

C-reactive protein decreases expression of thrombomodulin and endothelial protein C receptor in human endothelial cells (Nan et al). 2005;138:212-22  
Effects of lysophosphatidylcholine on monolayer cell permeability of human coronary artery endothelial cells (Yan et al). 2005;138:464-73

**Endotoxemia**

Endothelium-dependent pulmonary artery vasorelaxation is dysfunctional in males but not females after acute lung injury (Tsai et al). 2005;138:78-84  
Ketamine attenuates liver injury attributed to endotoxemia: role of cyclooxygenase-2 (Suliburk et al). 2005;138:134-40

**Endotoxin**

Sexual dimorphism in myocardial tumor necrosis factor- $\alpha$  and cardiac function during endotoxin tolerance (Pitcher et al). 2005;138:223-8

**Enterocytes**

Opposing roles for p21<sup>waf1/cip1</sup> and p27<sup>kip1</sup> in enterocyte differentiation, proliferation, and migration (Stehr et al). 2005;138:187-94

**Epidermal growth factor**

Plasmin-induced smooth muscle cell proliferation requires epidermal growth factor activation through an extracellular pathway (Roztocil et al). 2005;138:180-6

**Epithelial cells**

E-cadherin is regulated by the transcriptional repressor SLUG during Ras-mediated transformation of intestinal epithelial cells (Schmidt et al). 2005;138:306-12  
Pancreatic epithelial cells can be converted into insulin-producing cells by GLP-1 in conjunction with virus-mediated gene transfer of pdx-1 (Koizumi et al). 2005;138:125-33

**Errors; see Medical errors****Esophageal achalasia**

Computer-enhanced robotic telesurgery minimizes esophageal perforation during Heller myotomy (Melvin et al). 2005;138:553-9

**Esophageal neoplasms**

Increased CDX2 and decreased PTIZX1 homeobox gene expression in Barrett's esophagus and Barrett's-associated adenocarcinoma (Lord et al). 2005;138:924-31  
Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68  
Role for the double-stranded RNA-activated protein kinase PKR in Ad-TNF- $\alpha$  gene therapy in esophageal cancer (von Holzen et al). 2005;138:261-8

**Esophageal perforation**

Computer-enhanced robotic telesurgery minimizes esophageal perforation during Heller myotomy (Melvin et al). 2005;138:553-9

**Ether, ethyl**

The end of religious fatalism: Boston as the venue for the demonstration of ether for the intentional relief of pain (Campagna). 2005;138:46-55

**Ethics, medical**

Physician-assisted suicide: has it come of age (Jones et al). 2005;138:105-8

**Ethyl pyruvate; see Pyruvic acid****Evidence-based medicine**

Of dodos and Goliath and alternative approaches to a common goal (Moss). 2005;138:411-4 (Letter reply)  
Hyperbolic hypotheses (Harken). 2005;138:404 (Letter)  
Hypothesis-Fact or Fiction (Warshaw and Sarr). 2005;138:403 (Editorial)  
Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)  
Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)  
Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)  
Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)  
The surgeon's use of evidence to care for our patients (Moss). 2005;138:405-6 (Letter)

**F****Faculty, medical**

Presidential address: Academic surgery: can we adapt (Mercer). 2005;138:115-24

**Fibroblasts**

Normal human fibroblasts enable melanoma cells to induce angiogenesis in type I collagen (Goldstein et al). 2005;138:439-49

Proteomic analysis of colonic myofibroblasts and effect on colon cancer cell proliferation (Chen et al). 2005;138:382-90

**Fibulin**; *see* **Calcium binding proteins**

**Fine needle aspiration**; *see* **Biopsy, needle**

**Flaps**; *see* **Surgical flaps**

**Fludeoxyglucose F 18**

Feasibility and benefit of fluorine 18-fluoro-2-deoxyglucose-guided surgery in the management of radioiodine-negative differentiated thyroid carcinoma metastases (Kraeber-Bodéré et al). 2005;138:1176-82

Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75

**Fluid shifts**

Ubiquitin reduces fluid shifts after traumatic brain injury (Earle et al). 2005;138:431-8

**Fluid therapy**

Prehospital hemoglobin-based oxygen carrier resuscitation attenuates postinjury acute lung injury (Masuno et al). 2005;138:335-41

**Flutamide**

Mechanism responsible for the salutary effects of flutamide on cardiac performance after trauma-hemorrhagic shock: upregulation of cardiomyocyte estrogen receptors (Yu et al). 2005;138:85-92

**Forecasting**

Presidential address: a perspective on the future of endocrine surgery-challenges and opportunities in a time of rapid transformation (Kukora). 2005;138:965-70

President's address: Future challenges (Malangoni et al). 2005;138:547-52

**Foreign bodies**

Intestinal obstruction from furniture cushion foam bezoar (Chiu et al). 2005;138:956-8

**Frozen sections**

Are frozen sections useful and cost-effective in the era of intra-operative QPTH assays (Iacobone et al). 2005;138:1159-65

**Fundoplication**

Efficacy of laparoscopic fundoplication in controlling pulmonary symptoms associated with gastroesophageal reflux disease (Fernando et al). 2005;138:612-7

**G**

**Gallbladder neoplasms**

Pancreaticobiliary maljunction without choledochal dilatation associated with gallbladder cancer: report of 2 European cases (Adham et al). 2005;138:961 (Letter)

**Ganglionectomy**

Endoscopic thoracic sympathectomy for palmar hyperhidrosis: efficacy of T2 and T3 ganglion resection (Yano et al). 2005;138:40-5

**Gastrectomy**

Re: "Laparoscopic assisted distal gastrectomy for early gastric cancer: five years' experience" (Huscher et al). 2005;138:543 (Letter)

**Gastric bypass**

Changes in GI hormones and their effect on gastric emptying and transit times after Roux-en-Y gastric bypass in rat model (Suzuki et al). 2005;138:283-90

A description of morbidly obese state employees requesting a bariatric operation (Martin et al). 2005;138:690-700

Obese teenagers treated by Lap-Band System: the Italian experience (Angrisani et al). 2005;138:877-81

Prospective analysis of the incidence of deep venous thrombosis in bariatric surgery patients (Prystowsky et al). 2005;138:759-65

Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)

Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)

**Gastric neoplasms**; *see* **Stomach neoplasms**

**Gastrinoma**

Zollinger-Ellison syndrome caused by solitary gastrinoma blocking the pancreatic duct: enucleation and pancreatic duct repair (Clark et al). 2005;138:111-2

**Gastroesophageal reflux**

Efficacy of laparoscopic fundoplication in controlling pulmonary symptoms associated with gastroesophageal reflux disease (Fernando et al). 2005;138:612-7

**Gastrointestinal motility**

Changes in GI hormones and their effect on gastric emptying and transit times after Roux-en-Y gastric bypass in rat model (Suzuki et al). 2005;138:283-90

**Gastrointestinal neoplasms**

Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68

**Gellatinase B**

Interleukin-1 $\alpha$ -induced proteolytic activation of metalloproteinase-9 by human skin (Han et al). 2005;138:932-9

**Gemcitabine**; *see* **Deoxycytidine**

**Gene expression profiling**

Diagnostic and prognostic value of angiogenesis-modulating genes in malignant thyroid neoplasms (Kebebew et al). 2005;138:1102-10

Expression profiling of adrenocortical neoplasms suggests a molecular signature of malignancy (Velázquez-Fernández et al). 2005;138:1087-94

Molecular analysis of minimally invasive follicular carcinomas by gene profiling (Lubitz et al). 2005;138:1042-9

A six-gene model for differentiating benign from malignant thyroid tumors on the basis of gene expression (Rosen et al). 2005;138:1050-7

**Gene transfer techniques**

Pancreatic epithelial cells can be converted into insulin-producing cells by GLP-1 in conjunction with virus-mediated gene transfer of pdx-1 (Koizumi et al). 2005;138:125-33

**Genes, homeobox**

Increased CDX2 and decreased PTIZX1 homeobox gene expression in Barrett's esophagus and Barrett's-associated adenocarcinoma (Lord et al). 2005;138:924-31

**Genetic vectors**

Adenoviral gene transfer of an NF-KB super-repressor increases collagen deposition in rodent cutaneous wound healing (Schreiber et al). 2005;138:940-6

Synergistic tumoricidal effect between celecoxib and adenoviral-mediated delivery of mda-7 in human breast cancer cells (Suh et al). 2005;138:422-30

**Glial cell growth factor**; *see* **Neuregulin-1**

**Glucagon**

Pancreatic epithelial cells can be converted into insulin-producing cells by GLP-1 in conjunction with virus-mediated gene transfer of pdx-1 (Koizumi et al). 2005;138:125-33

**Glycoproteins**

MUC1 plays a role in tumor maintenance in aggressive thyroid carcinomas (Patel et al). 2005;138:994-1002

**Gross, Robert E.**

A day in the life ... (Daggett). 2005;138:538-9

**H**

**Hairy enhancer of split-1**; *see* **Homeodomain proteins**

**Heart surgery**; *see* **Thoracic surgery**

**Heart transplantation**

Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred (Takayashiki et al). 2005;138:254-60

Perfusion preservation maintains myocardial ATP levels and reduces apoptosis in an ex vivo rat heart transplantation model (Peltz et al). 2005;138:795-805

**Hemangioma**

Hemangioma at the liver section plane. Is it a contraindication for living donor liver transplantation (Pacheco-Moreira et al). 2005;138:113 (Letter)

**Hemoglobin-based oxygen carriers; see Blood substitutes****Hepatectomy**

Caroli's disease: liver resection and liver transplantation experience in 33 patients (Kassahun et al). 2005;138:888-98

**Hepatocyte growth factor**

The effect of hepatocyte growth factor on gut mucosal apoptosis and proliferation, and cellular mediators after severe trauma (Jeschke et al). 2005;138:482-9

**Hernia, inguinal**

Unexpected finding during inguinal hernia repair in a girl (Kim and Warner). 2005;138:954-5

**Hernia, ventral**

Perioperative outcomes and complications of laparoscopic ventral hernia repair (Perrone et al). 2005;138:708-16

**Hidradenitis suppurativa**

Surgical treatment of hidradenitis suppurativa: a 10-year experience (Kagan et al). 2005;138:734-41

**Histone deacetylases**

Valproic acid inhibits growth, induces apoptosis, and modulates apoptosis-regulatory and differentiation gene expression in human thyroid cancer cells (Shen et al). 2005;138:979-85

**History of medicine**

A day in the life . . . (Daggett). 2005;138:538-9

The end of religious fatalism: Boston as the venue for the demonstration of ether for the intentional relief of pain (Campagna). 2005;138:46-55

A little teaching point for the fellows ... (DeMatteo). 2005;138:959-60

**Homeodome proteins**

Hairy Enhancer of Split-I (HES-1), a Notch1 effector, inhibits the growth of carcinoid tumor cells (Kunnimalaiyaan et al). 2005;138:1137-42

**Hurthle cells; see Oxyphil cells****Hydroxamic acids**

Suberoylanilide hydroxamic acid combined with gemcitabine enhances apoptosis in non-small cell lung cancer (Rundall et al). 2005;138:360-7

**25-Hydroxyvitamin D 2**

25-Hydroxyvitamin D deficiency is a risk factor for symptoms of postoperative hypocalcemia and secondary hyperparathyroidism after minimally invasive parathyroidectomy (Stewart et al). 2005;138:1018-26

**Hypercalcemia**

Idiopathic renal hypercalciuria as an etiology for persistent post-operative parathyroid hormone elevation (Farooki and Amorosa). 2005;138:961-2 (Letter)

**Hypercholesterolemia**

Effects of L-arginine on the endogenous angiogenic response in a model of hypercholesterolemia (Nakai et al). 2005;138:291-8

**Hyperhidrosis**

Endoscopic thoracic sympathectomy for palmar hyperhidrosis: efficacy of T2 and T3 ganglion resection (Yano et al). 2005;138:40-5

**Hyperparathyroidism**

25-Hydroxyvitamin D deficiency is a risk factor for symptoms of postoperative hypocalcemia and secondary hyperparathyroidism after minimally invasive parathyroidectomy (Stewart et al). 2005;138:1018-26

Are frozen sections useful and cost-effective in the era of intraoperative QPTH assays (Iacobone et al). 2005;138:1159-65

Intraoperative parathyroid hormone testing improves cure rates in patients undergoing minimally invasive parathyroidectomy (Chen et al). 2005;138:583-90

Outpatient minimally invasive parathyroidectomy using local/regional anesthesia: a safe and effective operative approach for selected patients (Cohen et al). 2005;138:681-9

Parathyroidectomy improves neurocognitive deficits in patients with primary hyperparathyroidism (Roman et al). 2005;138:1121-9

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

Revisiting lithium-associated hyperparathyroidism in the era of intraoperative parathyroid hormone monitoring (Hundley et al). 2005;138:1027-32

The role of intraoperative parathyroid hormone testing in patients with tertiary hyperparathyroidism after renal transplantation (Haustein et al). 2005;138:1066-71

Surgery for hyperparathyroidism: does morphology or function matter most (Mun et al). 2005;138:1111-20

Use of surgeon-performed office ultrasound and parathyroid fine needle aspiration for complex parathyroid localization (Stephen et al). 2005;138:1143-51

**Hyperthyroidism**

Hyperthyroidism after parathyroid exploration (Stang et al). 2005;138:1058-65

**Hypocalcemia**

25-Hydroxyvitamin D deficiency is a risk factor for symptoms of postoperative hypocalcemia and secondary hyperparathyroidism after minimally invasive parathyroidectomy (Stewart et al). 2005;138:1018-26

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

**Hypoparathyroidism**

Long-term functionality of cryopreserved parathyroid autografts: a 13-year prospective analysis (Cohen et al). 2005;138:1033-41

**Hypotheses, Surgical**

Of dodos and Goliath and alternative approaches to a common goal (Moss). 2005;138:411-4 (Letter reply)

Hyperbolic hypotheses (Harken). 2005;138:404 (Letter)

Hypothesis-Fact or Fiction (Warshaw and Sarr). 2005;138:403 (Editorial)

Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)

Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)

The surgeon's use of evidence to care for our patients (Moss). 2005;138:405-6 (Letter)

**I****Ileal pouches; see Colonic pouches****Images in surgery**

Endoluminal repair of an acute aorto-left renal vein fistula (Shaheen et al). 2005;138:109-10

Gallstone ileus of the colon (Ishikura et al). 2005;138:540-2

Intestinal obstruction from furniture cushion foam bezoar (Chiu et al). 2005;138:956-8

Unexpected finding during inguinal hernia repair in a girl (Kim and Warner). 2005;138:954-5

**Immune system**

Dendritic cells as therapeutic adjuncts in surgical disease (Clarke et al). 2005;138:844-50

**Immune tolerance**

Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred (Takayashiki et al). 2005;138:254-60

Regional oral tolerance in transgenic 2C mice (Margenthaler and Flye). 2005;138:141-9

**Immunity, natural**

The influence of gender on human innate immunity (Imahara et al). 2005;138:275-82

**Immunosuppressive agents**

Preliminary results with early corticosteroid withdrawal in African American renal allograft recipients (Gruber et al). 2005;138:772-9

**Infusions, intravenous**

Superiority of postoperative epidural over intravenous patient-controlled analgesia in orthopedic oncologic patients (Weinbroum). 2005;138:869-76

**Innate immunity; see Immunity, natural**

**Insulin**

Pancreatic epithelial cells can be converted into insulin-producing cells by GLP-1 in conjunction with virus-mediated gene transfer of pdx-1 (Koizumi et al). 2005;138:125-33

**Insulinoma**

A prospective evaluation of laparoscopic exploration with intraoperative ultrasound as a technique for localizing sporadic insulinomas (Grover et al). 2005;138:1003-8

**Insurance, health**

A description of morbidly obese state employees requesting a bariatric operation (Martin et al). 2005;138:690-700

**Interleukin-1**

The influence of gender on human innate immunity (Imahara et al). 2005;138:275-82

Interleukin-1 $\beta$  is prominent in the early pulmonary inflammatory response after hepatic injury (Glasgow et al). 2005;138:64-70

Interleukin-1 $\alpha$ -induced proteolytic activation of metalloproteinase-9 by human skin (Han et al). 2005;138:932-9

**Internship and residency**

Analysis of errors enacted by surgical trainees during skills training courses (Tang et al). 2005;138:14-20

Feasibility, reliability and validity of an operative performance rating system for evaluating surgery residents (Larson et al). 2005;138:640-9

Psychologic well-being of surgery residents after inception of the 80-hour workweek: a multi-institutional study (Zaré et al). 2005;138:150-7

Six core competencies and seven deadly sins: a virtues-based approach to the new guidelines for graduate medical education (Larkin et al). 2005;138:490-7

Skill retention following proficiency-based laparoscopic simulator training (Stefanidis et al). 2005;138:165-70

Surgical residents' perceptions of the effects of the ACGME duty hour requirements 1 year after implementation (Irani et al). 2005;138:246-53

**Intestinal mucosa**

Direct energy delivery improves tissue perfusion after resuscitated shock (Zakaria et al). 2005;138:195-203

E-cadherin is regulated by the transcriptional repressor SLUG during Ras-mediated transformation of intestinal epithelial cells (Schmidt et al). 2005;138:306-12

The effect of hepatocyte growth factor on gut mucosal apoptosis and proliferation, and cellular mediators after severe trauma (Jeschke et al). 2005;138:482-9

**Intestinal obstruction**

Ethyl pyruvate ameliorates ileus induced by bowel manipulation in mice (Harada et al). 2005;138:530-7

Gallstone ileus of the colon (Ishikura et al). 2005;138:540-2

Intestinal obstruction from furniture cushion foam bezoar (Chiu et al). 2005;138:956-8

**Intraoperative period**

Are frozen sections useful and cost-effective in the era of intraoperative QPTH assays (Iacobone et al). 2005;138:1159-65

Intraoperative lymphatic mapping and sentinel lymph node biopsy using radioactive tracer in gastric cancer (Zulfikaroglu et al). 2005;138:899-904

Intraoperative neurophysiology testing of the recurrent laryngeal nerve: plaudits and pitfalls (Snyder and Hendricks). 2005;138:1183-92

Intraoperative parathyroid hormone testing improves cure rates in patients undergoing minimally invasive parathyroidectomy (Chen et al). 2005;138:583-90

A prospective evaluation of laparoscopic exploration with intraoperative ultrasound as a technique for localizing sporadic insulinomas (Grover et al). 2005;138:1003-8

Revisiting lithium-associated hyperparathyroidism in the era of intraoperative parathyroid hormone monitoring (Hundley et al). 2005;138:1027-32

The role of intraoperative parathyroid hormone testing in patients with tertiary hyperparathyroidism after renal transplantation (Haustein et al). 2005;138:1066-71

A subsegmental pancreatectomy performed for carcinoma in situ limited to the proximal half of the pancreatic head with the aid of intraoperative 4-segment cytology for pancreatic juice—a case report (Miyoshi et al). 2005;138:947-50

**Invited commentary**

Invited commentary: The Michigan Plan—is this a true partnership (Britt). 2005;138:820

**Iodine radioisotopes**

Radioactive iodine offers survival improvement in patients with follicular carcinoma of the thyroid (Podnos et al). 2005;138:1072-7

**Iraq**

A chairman's reflection in Iraq (Burriss). 2005;138:103-4

**Irrigation**

Surgical treatment of necrotizing pancreatitis by necrosectomy and closed lavage: changing patient characteristics and outcome in a 19-year, single-center series (Rau et al). 2005;138:28-39

**Ischemia/reperfusion injury; see Reperfusion injury**

**Isoantigen**

Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred (Takayashiki et al). 2005;138:254-60

**Isoflurane**

Anesthesia-specific protection from endotoxic shock is not mediated through the vagus nerve (Fuentes et al). 2005;138:766-71

**The I.V. League**

The I.V. League: "George, the doctor told me that you're my biggest risk factor" (Pories). 2005;138:1002 (Cartoon)

The I.V. League: "I don't need a seat. I'm just here to sign the attendance record..." (Pories). 2005;138:898 (Cartoon)

The I.V. League: "Mommy, Mommy, I think it's Daddy..." (Pories)! 2005;138:414 (Cartoon)

The I.V. League: "Nothing against you Doctor Osler. I just don't want to be a textbook" (Pories). 2005;138:140 (Cartoon)

The I.V. League: "Now let's take up the by-laws" (Pories). 2005;138:20 (Cartoon)

The I.V. League: "We use nine ports..." (Pories). 2005;138:582 (Cartoon)

**K**

**Ketamine**

Ketamine attenuates liver injury attributed to endotoxemia: role of cyclooxygenase-2 (Suliburk et al). 2005;138:134-40



**Kidney transplantation**

Preliminary results with early corticosteroid withdrawal in African American renal allograft recipients (Gruber et al). 2005;138:772-9

The role of intraoperative parathyroid hormone testing in patients with tertiary hyperparathyroidism after renal transplantation (Haustein et al). 2005;138:1066-71

**Kupffer cells**

Altered Kupffer cell function in biliary obstruction (Minter et al). 2005;138:236-45

**L****Laparoscopy**

Analysis of errors enacted by surgical trainees during skills training courses (Tang et al). 2005;138:14-20

Clinical outcomes of laparoscopic adrenalectomy for lateralizing nodular hyperplasia (Novitsky et al). 2005;138:1009-17

Efficacy of laparoscopic fundoplication in controlling pulmonary symptoms associated with gastroesophageal reflux disease (Fernando et al). 2005;138:612-7

Laparoscopic resection of adrenal cortical carcinoma: a cautionary note (Gonzalez et al). 2005;138:1078-86

Perioperative outcomes and complications of laparoscopic ventral hernia repair (Perrone et al). 2005;138:708-16

A prospective evaluation of laparoscopic exploration with intraoperative ultrasound as a technique for localizing sporadic insulinomas (Grover et al). 2005;138:1003-8

Re: "Laparoscopic assisted distal gastrectomy for early gastric cancer: five years' experience" (Huscher et al). 2005;138:543 (Letter)

Skill retention following proficiency-based laparoscopic simulator training (Stefanidis et al). 2005;138:165-70

**Laryngeal nerves**

Intraoperative neurophysiology testing of the recurrent laryngeal nerve: plaudits and pitfalls (Snyder and Hendricks). 2005;138:1183-92

**Lavage; see Irrigation****Letters to the Editors**

Of dodos and Goliath and alternative approaches to a common goal (Moss). 2005;138:411-4 (Letter reply)

Hemangioma at the liver section plane. Is it a contraindication for living donor liver transplantation (Pacheco-Moreira et al). 2005;138:113 (Letter)

Hyperbolic hypotheses (Harken). 2005;138:404 (Letter)

Idiopathic renal hypercalciuria as an etiology for persistent post-operative parathyroid hormone elevation (Farooki and Amorosa). 2005;138:961-2 (Letter)

Long-term survival of pancreatic cancer patient diagnosed by positive telomerase activity of pancreatic juice (Murakami et al). 2005;138:962 (Letter)

Pancreaticobiliary maljunction without choledochal dilatation associated with gallbladder cancer: report of 2 European cases (Adham et al). 2005;138:961 (Letter)

A problematic complication of sex change operation (Nyomura et al). 2005;138:543-4 (Letter)

Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)

Re: "Laparoscopic assisted distal gastrectomy for early gastric cancer: five years' experience" (Huscher et al). 2005;138:543 (Letter)

Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)

The surgeon's use of evidence to care for our patients (Moss). 2005;138:405-6 (Letter)

**Lewis X antigen; see Antigens, CD15****Ligands**

Regulation of the resistance to TRAIL-induced apoptosis as a new strategy for pancreatic cancer (Mori et al). 2005;138:71-7

**Lipid rafts; see Membrane microdomains****Lipids**

Direct energy delivery improves tissue perfusion after resuscitated shock (Zakaria et al). 2005;138:195-203

Oxidative-induced calcium mobilization is dependent on annexin VI release from lipid rafts (Cuschieri et al). 2005;138:158-64

**Lipopolysaccharides**

Rat gastric injury after lipopolysaccharide: role of inducible nitric oxide synthase (Robinson et al). 2005;138:523-9

**Lithium**

Revisiting lithium-associated hyperparathyroidism in the era of intraoperative parathyroid hormone monitoring (Hundley et al). 2005;138:1027-32

**Liver**

Diagnosis and management of bile leaks after blunt liver injury (Wahl et al). 2005;138:742-8

Salutary effects of androstenediol on hepatic function after trauma-hemorrhage are mediated via peroxisome proliferators-activated receptor gamma (Shimizu et al). 2005;138:204-11

Selective management of blunt hepatic injuries including nonoperative management is a safe and effective strategy (Christmas et al). 2005;138:606-11

**Liver diseases**

Ketamine attenuates liver injury attributed to endotoxemia: role of cyclooxygenase-2 (Suliburk et al). 2005;138:134-40

Repair after cholestatic liver injury correlates with neutrophil infiltration and matrix metalloproteinase 8 activity (Harty et al). 2005;138:313-20

Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum-stress mediated apoptosis (Vilatoba et al). 2005;138:342-51

**Liver neoplasms**

Interleukin-1 $\beta$  is prominent in the early pulmonary inflammatory response after hepatic injury (Glasgow et al). 2005;138:64-70

Selective arterial chemoembolization for hepatic metastases from medullary thyroid carcinoma (Lorenz et al). 2005;138:986-93

Thermoablation of colorectal liver metastases promotes proliferation of residual intrahepatic neoplastic cells (von Breitenbuch et al). 2005;138:882-7

**Liver transplantation**

Carbon monoxide inhalation ameliorates cold ischemia/reperfusion injury after rat liver transplantation (Kaizu et al). 2005;138:229-35

Caroli's disease: liver resection and liver transplantation experience in 33 patients (Kassahun et al). 2005;138:888-98

Hemangioma at the liver section plane. Is it a contraindication for living donor liver transplantation (Pacheco-Moreira et al). 2005;138:113 (Letter)

Intrahepatic venous anastomosis formation of the right liver in living donor liver transplantation: evaluations by Doppler ultrasonography and pulse-inversion ultrasonography with Levovist (Kaneko et al). 2005;138:21-7

The persistence of regulatory cells developing after rat spontaneous liver acceptance (Asakura et al). 2005;138:329-34

**Living donors**

Hemangioma at the liver section plane. Is it a contraindication for living donor liver transplantation (Pacheco-Moreira et al). 2005;138:113 (Letter)

Intrahepatic venous anastomosis formation of the right liver in living donor liver transplantation: evaluations by Doppler

ultrasonography and pulse-inversion ultrasonography with Levovist (Kaneko et al). 2005;138:21-7

**Low extremity**

Local inflammatory and thrombotic responses differ in a murine model of partial and complete hindlimb ischemia/reperfusion (Conrad et al). 2005;138:375-81

**Lung**

Half-a-dozen ribs: the breakpoint for mortality (Flagel et al). 2005;138:717-25

The role of the lung in postinjury multiple organ failure (Ciesla et al). 2005;138:749-58

**Lung neoplasms**

Present-at-admission diagnoses improve mortality risk adjustment and allow more accurate assessment of the relationship between volume of lung cancer operations and mortality risk (Stukenborg et al). 2005;138:498-507

Suberoylanilide hydroxamic acid combined with gemcitabine enhances apoptosis in non-small cell lung cancer (Rundall et al). 2005;138:360-7

Systematic node dissection by VATS is not inferior to that through an open thoracotomy: a comparative clinicopathologic retrospective study (Watanabe et al). 2005;138:510-7

Tweaking the Tools of "Quality" Measurement (Twomey). 2005;138:508-9

**Lymph node biopsy; see Sentinel lymph node biopsy**

**Lymph node excision**

A prospective randomized trial comparing standard pancreatoduodenectomy with pancreatoduodenectomy with extended lymphadenectomy in resectable pancreatic head adenocarcinoma (Farnell et al). 2005;138:618-30

Systematic node dissection by VATS is not inferior to that through an open thoracotomy: a comparative clinicopathologic retrospective study (Watanabe et al). 2005;138:510-7

**Lymph nodes**

Carcinoid tumors of the duodenum (Mullen et al). 2005;138:971-8

**Lymphocyte transfusion**

Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred (Takayashiki et al). 2005;138:254-60

**Lysophosphatidylcholines**

Effects of lysophosphatidylcholine on monolayer cell permeability of human coronary artery endothelial cells (Yan et al). 2005;138:464-73

**M**

**Macrophages**

Oxidative-induced calcium mobilization is dependent on annexin VI release from lipid rafts (Cuschieri et al). 2005;138:158-64

**Manumycin; see Polyenes**

**Manuscripts**

Editors' corner (Warshaw and Sarr). 2005;138:449

**Matrix metalloproteinase 8; see Neutrophil collagenase**

**Matrix metalloproteinase 9; see Gellatinase B**

**Medical errors**

Analysis of errors enacted by surgical trainees during skills training courses (Tang et al). 2005;138:14-20

How surgeons disclose medical errors to patients: a study using standardized patients (Chan et al). 2005;138:851-8

**Medical ethics; see Ethics, medical**

**Melanoma**

Melanoma skews dendritic cells to facilitate a T helper 2 profile (McCarter et al). 2005;138:321-8

Normal human fibroblasts enable melanoma cells to induce angiogenesis in type I collagen (Goldstein et al). 2005;138:439-49

**Membrane microdomains**

Oxidative-induced calcium mobilization is dependent on annexin VI release from lipid rafts (Cuschieri et al). 2005;138:158-64

**Meta-analysis**

A meta-analysis of perioperative beta blockade: what is the actual risk reduction (McGory et al). 2005;138:171-9

**Mice, transgenic**

Regional oral tolerance in transgenic 2C mice (Margenthaler and Flye). 2005;138:141-9

**Michigan**

Invited commentary: The Michigan Plan-is this a true partnership (Britt). 2005;138:820

Partnering with payers to improve surgical quality. the Michigan plan (Birkmeyer et al). 2005;138:815-20

**Microarray analysis; see Oligonucleotide array sequences analysis**

**Microtubule-associated proteins**

Downregulation of survivin by siRNA diminishes radioresistance of pancreatic cancer cells (Kami et al). 2005;138:299-305

Survivin, a potential biomarker in the development of Barrett's adenocarcinoma (Vallböhmer et al). 2005;138:701-7

**Military medicine**

A chairman's reflection in Iraq (Burris). 2005;138:103-4

**Mitochondria**

Mitochondrial-dependent apoptosis in experimental rodent abdominal aortic aneurysms (Sinha et al). 2005;138:806-11

**Mitogen-activated protein kinase**

Direct phosphorylation of proliferative and survival pathway proteins by RET (Panta et al). 2005;138:269-74

The influence of gender on human innate immunity (Imahara et al). 2005;138:275-82

**Moments in surgery**

A chairman's reflection in Iraq (Burris). 2005;138:103-4

A day in the life ... (Daggett). 2005;138:538-9

A little teaching point for the fellows ... (DeMatteo). 2005;138:959-60

**Mortality**

Half-a-dozen ribs: the breakpoint for mortality (Flagel et al). 2005;138:717-25

Present-at-admission diagnoses improve mortality risk adjustment and allow more accurate assessment of the relationship between volume of lung cancer operations and mortality risk (Stukenborg et al). 2005;138:498-507

Tweaking the Tools of "Quality" Measurement (Twomey). 2005;138:508-9

**MUC1; see Glycoproteins**

**Mucocele**

Novel presentation and management of ileal pouch mucocele (Heise et al). 2005;138:100-2

**Multiple organ failure**

The role of the lung in postinjury multiple organ failure (Ciesla et al). 2005;138:749-58

**Muscle, smooth, vascular**

Vascular endothelial growth factor stimulates a novel calcium-signaling pathway in vascular smooth muscle cells (Chandra and Angle). 2005;138:780-7

**Myocytes, smooth muscle**

Plasmin-induced smooth muscle cell proliferation requires epidermal growth factor activation through an extracellular pathway (Roztocil et al). 2005;138:180-6

**N**

**Neck dissection**

Nodal yield, morbidity, and recurrence after central neck dissection for papillary thyroid carcinoma (Pereira et al). 2005;138:1095-101

**Neoadjuvant therapy**

Presence of distal intramural spread after preoperative combined-modality therapy for adenocarcinoma of the rectum: what is now the appropriate distal resection margin (Mezhir et al). 2005;138:658-64

**Neoplasm metastasis**

- Carcinoid tumors of the duodenum (Mullen et al). 2005;138:971-8
- Feasibility and benefit of fluorine 18-fluoro-2-deoxyglucose-guided surgery in the management of radioiodine-negative differentiated thyroid carcinoma metastases (Kraeber-Bodéré et al). 2005;138:1176-82
- Selective arterial chemoembolization for hepatic metastases from medullary thyroid carcinoma (Lorenz et al). 2005;138:986-93
- Thermoablation of colorectal liver metastases promotes proliferation of residual intrahepatic neoplastic cells (von Breitenbuch et al). 2005;138:882-7

**Neovascularization, pathologic**

- Diagnostic and prognostic value of angiogenesis-modulating genes in malignant thyroid neoplasms (Kebebew et al). 2005;138:1102-10
- Normal human fibroblasts enable melanoma cells to induce angiogenesis in type I collagen (Goldstein et al). 2005;138:439-49

**Neovascularization, physiologic**

- Effects of L-arginine on the endogenous angiogenic response in a model of hypercholesterolemia (Nakai et al). 2005;138:291-8

**Nerve growth factors**

- Expression of glial cell line-derived neurotrophic factor family members and their receptors in pancreatic cancers (Ito et al). 2005;138:788-94

**Neuregulin-1**

- Expression of glial cell line-derived neurotrophic factor family members and their receptors in pancreatic cancers (Ito et al). 2005;138:788-94

**Neurologic manifestations**

- Parathyroidectomy improves neurocognitive deficits in patients with primary hyperparathyroidism (Roman et al). 2005;138:1121-9

**Neurotrophic factors; see Nerve growth factors****Neutrophil collagenase**

- Repair after cholestatic liver injury correlates with neutrophil infiltration and matrix metalloproteinase 8 activity (Harty et al). 2005;138:313-20

**Neutrophils**

- Repair after cholestatic liver injury correlates with neutrophil infiltration and matrix metalloproteinase 8 activity (Harty et al). 2005;138:313-20

**NF-kappa B**

- Adenoviral gene transfer of an NF-KB super-repressor increases collagen deposition in rodent cutaneous wound healing (Schreiber et al). 2005;138:940-6

**Nipples**

- Comparative analysis of minimally invasive microductectomy versus major duct excision in patients with pathologic nipple discharge (Sharma et al). 2005;138:591-7

**Nitric oxide**

- Inhibition by nitric oxide and nonadrenergic, noncholinergic (NANC) nerves is preserved in a canine model of extrinsic denervation; implications for small bowel transplantation (Zyromski et al). 2005;138:905-12

**Nitric oxide synthase**

- Rat gastric injury after lipopolysaccharide: role of inducible nitric oxide synthase (Robinson et al). 2005;138:523-9
- Redox-mediated upregulation of hepatocyte iNOS transcription requires coactivator PC4 (Marroquin et al). 2005;138:93-9

**O****Obesity, morbid**

- A description of morbidly obese state employees requesting a bariatric operation (Martin et al). 2005;138:690-700
- Obese teenagers treated by Lap-Band System: the Italian experience (Angrisani et al). 2005;138:877-81

Prospective analysis of the incidence of deep venous thrombosis in bariatric surgery patients (Prystowsky et al). 2005;138:759-65

Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)

Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)

**Office procedures; see Ambulatory surgical procedures****Oligonucleotide array sequences analysis**

Diagnostic and prognostic value of angiogenesis-modulating genes in malignant thyroid neoplasms (Kebebew et al). 2005;138:1102-10

Molecular analysis of minimally invasive follicular carcinomas by gene profiling (Lubitz et al). 2005;138:1042-9

Surgical application of cDNA microarray technique (Sahar et al). 2005;138:399-403

**Operating rooms**

Molecular epidemiology of microbial contamination in the operating room environment: is there a risk for infection (Edmiston et al). 2005;138:573-82

**Organ transplantation; see Transplantation****Outcome assessment, health care**

Introduction: the rise of translational outcomes research (Warshaw et al). 2005;138:813-4

Invited commentary: The Michigan Plan-is this a true partnership (Britt). 2005;138:820

Partnering with payers to improve surgical quality: the Michigan plan (Birkmeyer et al). 2005;138:815-20

Washington State's approach to variability in surgical processes/outcomes: Surgical Clinical Outcomes Assessment Program (SCOAP) (Flum et al). 2005;138:821-8

**Oxidation-reduction**

Redox-mediated upregulation of hepatocyte iNOS transcription requires coactivator PC4 (Marroquin et al). 2005;138:93-9

**Oxidative stress**

Oxidative-induced calcium mobilization is dependent on annexin VI release from lipid rafts (Cuschieri et al). 2005;138:158-64

**Oxyphil cells**

Fine-needle aspiration biopsy specimen with a predominance of Hürthle cells: a dilemma in the management of nodular thyroid disease (Alaadeen et al). 2005;138:650-7

The treatment and prognosis of Hürthle cell follicular thyroid carcinoma compared with its non-Hürthle cell counterpart (Haigh and Urbach). 2005;138:1152-8

**P****Pain**

The end of religious fatalism: Boston as the venue for the demonstration of ether for the intentional relief of pain (Campagna). 2005;138:46-55

**Pain, intractable**

Physician-assisted suicide: has it come of age (Jones et al). 2005;138:105-8

**Pain, postoperative**

Superiority of postoperative epidural over intravenous patient-controlled analgesia in orthopedic oncologic patients (Weinbroum). 2005;138:869-76

**Pancreas**

Pancreatic epithelial cells can be converted into insulin-producing cells by GLP-1 in conjunction with virus-

mediated gene transfer of pdx-1 (Koizumi et al). 2005;138:125-33

Pancreaticobiliary maljunction without choledochal dilatation associated with gallbladder cancer: report of 2 European cases (Adham et al). 2005;138:961 (Letter)

#### **Pancreatectomy**

Hemodynamic changes of splenogastric circulation after spleen-preserving pancreatectomy with excision of splenic artery and vein (Miura et al). 2005;138:518-22

A subsegmental pancreatectomy performed for carcinoma in situ limited to the proximal half of the pancreatic head with the aid of intraoperative 4-segment cytology for pancreatic juice—a case report (Miyoshi et al). 2005;138:947-50

Surgical treatment of necrotizing pancreatitis by necrosectomy and closed lavage: changing patient characteristics and outcome in a 19-year, single-center series (Rau et al). 2005;138:28-39

#### **Pancreatic cyst**

Natural history of indeterminate pancreatic cysts (Walsh et al). 2005;138:665-71

Preoperative evaluation of pancreatic cystic lesions: cost-benefit analysis and proposed management algorithm (Lim et al). 2005;138:672-80

#### **Pancreatic ducts**

Zollinger-Ellison syndrome caused by solitary gastrinoma blocking the pancreatic duct: enucleation and pancreatic duct repair (Clark et al). 2005;138:111-2

#### **Pancreatic fistula**

Postoperative pancreatic fistula: an international study group (ISGPF) definition (Bassi et al). 2005;138:8-13

#### **Pancreatic juice**

Long-term survival of pancreatic cancer patient diagnosed by positive telomerase activity of pancreatic juice (Murakami et al). 2005;138:962 (Letter)

A subsegmental pancreatectomy performed for carcinoma in situ limited to the proximal half of the pancreatic head with the aid of intraoperative 4-segment cytology for pancreatic juice—a case report (Miyoshi et al). 2005;138:947-50

#### **Pancreatic neoplasms**

Downregulation of survivin by siRNA diminishes radioresistance of pancreatic cancer cells (Kami et al). 2005;138:299-305

Expression and prognostic value of tuberous sclerosis complex 2 gene product tuberin in human pancreatic cancer (Kataoka et al). 2005;138:450-5

Expression of glial cell line-derived neurotrophic factor family members and their receptors in pancreatic cancers (Ito et al). 2005;138:788-94

Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68

Long-term survival of pancreatic cancer patient diagnosed by positive telomerase activity of pancreatic juice (Murakami et al). 2005;138:962 (Letter)

A prospective randomized trial comparing standard pancreatoduodenectomy with pancreatoduodenectomy with extended lymphadenectomy in resectable pancreatic head adenocarcinoma (Farnell et al). 2005;138:618-30

Regulation of the resistance to TRAIL-induced apoptosis as a new strategy for pancreatic cancer (Mori et al). 2005;138:71-7

A subsegmental pancreatectomy performed for carcinoma in situ limited to the proximal half of the pancreatic head with the aid of intraoperative 4-segment cytology for pancreatic juice—a case report (Miyoshi et al). 2005;138:947-50

#### **Pancreatoduodenectomy**

A prospective randomized trial comparing standard pancreatoduodenectomy with pancreatoduodenectomy with extended lymphadenectomy in resectable pancreatic head adenocarcinoma (Farnell et al). 2005;138:618-30

#### **Pancreatitis**

Inhibition of tyrosine-kinase-mediated cellular signaling by typhostins AG 126 and AG556 modulates murine experi-

mental acute pancreatitis (Balachandra et al). 2005;138:913-23

#### **Pancreatitis, acute necrotizing**

Surgical treatment of necrotizing pancreatitis by necrosectomy and closed lavage: changing patient characteristics and outcome in a 19-year, single-center series (Rau et al). 2005;138:28-39

#### **Parathyroid glands**

Long-term functionality of cryopreserved parathyroid autografts: a 13-year prospective analysis (Cohen et al). 2005;138:1033-41

#### **Parathyroid hormones**

Are frozen sections useful and cost-effective in the era of intraoperative QPTH assays (Iacobone et al). 2005;138:1159-65

Idiopathic renal hypercalciuria as an etiology for persistent post-operative parathyroid hormone elevation (Farooki and Amorosa). 2005;138:961-2 (Letter)

Intraoperative parathyroid hormone testing improves cure rates in patients undergoing minimally invasive parathyroidectomy (Chen et al). 2005;138:583-90

Modulation of parathyroid hormone-related protein levels (PTHrP) in anaplastic thyroid cancer (Dackiw et al). 2005;138:456-63

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

Revisiting lithium-associated hyperparathyroidism in the era of intraoperative parathyroid hormone monitoring (Hundley et al). 2005;138:1027-32

The role of intraoperative parathyroid hormone testing in patients with tertiary hyperparathyroidism after renal transplantation (Haustein et al). 2005;138:1066-71

Surgery for hyperparathyroidism: does morphology or function matter most (Mun et al). 2005;138:1111-20

#### **Parathyroid neoplasms**

Use of surgeon-performed office ultrasound and parathyroid fine needle aspiration for complex parathyroid localization (Stephen et al). 2005;138:1143-51

#### **Parathyroidectomy**

25-Hydroxyvitamin D deficiency is a risk factor for symptoms of postoperative hypocalcemia and secondary hyperparathyroidism after minimally invasive parathyroidectomy (Stewart et al). 2005;138:1018-26

Are frozen sections useful and cost-effective in the era of intraoperative QPTH assays (Iacobone et al). 2005;138:1159-65

Hyperthyroidism after parathyroid exploration (Stang et al). 2005;138:1058-65

Idiopathic renal hypercalciuria as an etiology for persistent post-operative parathyroid hormone elevation (Farooki and Amorosa). 2005;138:961-2 (Letter)

Intraoperative parathyroid hormone testing improves cure rates in patients undergoing minimally invasive parathyroidectomy (Chen et al). 2005;138:583-90

Outpatient minimally invasive parathyroidectomy using local/regional anesthesia: a safe and effective operative approach for selected patients (Cohen et al). 2005;138:681-9

Parathyroidectomy improves neurocognitive deficits in patients with primary hyperparathyroidism (Roman et al). 2005;138:1121-9

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

Surgery for hyperparathyroidism: does morphology or function matter most (Mun et al). 2005;138:1111-20

#### **Partnership practice**

Invited commentary: The Michigan Plan—is this a true partnership (Britt). 2005;138:820

Partnering with payers to improve surgical quality: the Michigan plan (Birkmeyer et al). 2005;138:815-20

#### **Patient admission**

Present-at-admission diagnoses improve mortality risk adjustment and allow more accurate assessment of the relation-

ship between volume of lung cancer operations and mortality risk (Stukenborg et al). 2005;138:498-507

**Peer review, health care**

The NSQIP: a new frontier in surgery (Khuri). 2005;138:837-43

**Peptide hydrolases**

Interleukin-1 $\alpha$ -induced proteolytic activation of metalloproteinase-9 by human skin (Han et al). 2005;138:932-9

**Peptide YY**

Changes in GI hormones and their effect on gastric emptying and transit times after Roux-en-Y gastric bypass in rat model (Suzuki et al). 2005;138:283-90

**Performance appraisals; see Task performance and analysis****Perfusion**

Perfusion preservation maintains myocardial ATP levels and reduces apoptosis in an ex vivo rat heart transplantation model (Peltz et al). 2005;138:795-805

**Perioperative care**

A meta-analysis of perioperative beta blockade: what is the actual risk reduction (McGory et al). 2005;138:171-9

**Peroxisome proliferators**

Salutary effects of androstenediol on hepatic function after trauma-hemorrhage are mediated via peroxisome proliferator-activated receptor gamma (Shimizu et al). 2005;138:204-11

**Phenylbutyrates**

Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum-stress mediated apoptosis (Vilatoba et al). 2005;138:342-51

**Phosphates**

Direct energy delivery improves tissue perfusion after resuscitated shock (Zakaria et al). 2005;138:195-203

**Phosphatidylinositol 3-kinase**

Targeted RNA interference of PI3K pathway components sensitizes colon cancer cells to TNF-related apoptosis-inducing ligand (TRAIL) (Rychahou et al). 2005;138:391-7

**Physician-patient relations**

How surgeons disclose medical errors to patients: a study using standardized patients (Chan et al). 2005;138:851-8

**Plasmin**

Plasmin-induced smooth muscle cell proliferation requires epidermal growth factor activation through an extracellular pathway (Roztocil et al). 2005;138:180-6

**Polonidal sinus**

A simple modification with the Limberg flap for chronic pilonidal disease (Tekin). 2005;138:951-3

**Polyenes**

Modulation of parathyroid hormone-related protein levels (PTHrP) in anaplastic thyroid cancer (Dackiw et al). 2005;138:456-63

**Positron emission tomography; see Tomography, emission computed****Postoperative complications**

Hyperthyroidism after parathyroid exploration (Stang et al). 2005;138:1058-65

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

Postoperative pancreatic fistula: an international study group (ISGPF) definition (Bassi et al). 2005;138:8-13

**Professional review organizations**

The NSQIP: a new frontier in surgery (Khuri). 2005;138:837-43

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

**Progenitor cells; see Stem cells****Prostaglandin-endoperoxide synthase**

Ketamine attenuates liver injury attributed to endotoxemia: role of cyclooxygenase-2 (Suliburk et al). 2005;138:134-40

**Proteolytic enzymes; see Peptide hydrolases****Proteomics**

Proteomic analysis of colonic myofibroblasts and effect on colon cancer cell proliferation (Chen et al). 2005;138:382-90

**Proto-oncogene proteins**

Direct phosphorylation of proliferative and survival pathway proteins by RET (Panta et al). 2005;138:269-74

**Pyruvic acid**

Ethyl pyruvate ameliorates ileus induced by bowel manipulation in mice (Harada et al). 2005;138:530-7

**Q****Quality indicators, health care**

Tweaking the Tools of "Quality" Measurement (Twomey). 2005;138:508-9

**Quality of health care**

Invited commentary: The Michigan Plan-is this a true partnership (Britt). 2005;138:820

The NSQIP: a new frontier in surgery (Khuri). 2005;138:837-43  
Partnering with payers to improve surgical quality. the Michigan plan (Birkmeyer et al). 2005;138:815-20

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

Surgical residents' perceptions of the effects of the ACGME duty hour requirements 1 year after implementation (Irani et al). 2005;138:246-53

Washington State's approach to variability in surgical processes/outcomes: Surgical Clinical Outcomes Assessment Program (SCOAP) (Flum et al). 2005;138:821-8

**Quality of life**

Surgical residents' perceptions of the effects of the ACGME duty hour requirements 1 year after implementation (Irani et al). 2005;138:246-53

**R****Radiation therapy**

Downregulation of survivin by siRNA diminishes radioresistance of pancreatic cancer cells (Kami et al). 2005;138:299-305

**Radiofrequency ablation; see Catheter ablation****Radionuclide imaging**

Intraoperative lymphatic mapping and sentinel lymph node biopsy using radioactive tracer in gastric cancer (Zulfikaroglu et al). 2005;138:899-904

**Randomized controlled trials**

Of dodos and Goliath and alternative approaches to a common goal (Moss). 2005;138:411-4 (Letter reply)

Hypothesis-Fact or Fiction (Warshaw and Sarr). 2005;138:403 (Editorial)

Re: Flaws in evidence-based medicine methodologies may adversely affect public health directives (Dixon et al). 2005;138:407-9 (Letter reply)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Sauerland and Neugebauer). 2005;138:406-7 (Letter)

Re: Flaws in methods of evidence-based medicine may adversely affect public health directives (Twomey). 2005;138:407 (Letter)

Response to "Flaws in methods of evidence-based medicine may adversely affect public health directives" (Sugerman). 2005;138:409-11 (Letter reply)

The surgeon's use of evidence to care for our patients (Moss). 2005;138:405-6 (Letter)

**Receptor protein-tyrosine kinases**

Inhibition of tyrosine-kinase-mediated cellular signaling by tyrphostins AG 126 and AG556 modulates murine experimental acute pancreatitis (Balachandra et al). 2005;138:913-23

**Receptors, epidermal growth factor**

Ligand-dependent activation of the epidermal growth factor receptor by secondary bile acids in polarizing colon cancer cells (Merchant et al). 2005;138:415-21

Plasmin-induced smooth muscle cell proliferation requires epidermal growth factor activation through an extracellular pathway (Roztocil et al). 2005;138:180-6

**Receptors, estrogen**

Mechanism responsible for the salutary effects of flutamide on cardiac performance after trauma-hemorrhagic shock: upregulation of cardiomyocyte estrogen receptors (Yu et al). 2005;138:85-92

**Receptors, protein-tyrosine kinases**

Direct phosphorylation of proliferative and survival pathway proteins by RET (Panta et al). 2005;138:269-74

**Rectal neoplasms**

Presence of distal intramural spread after preoperative combined-modality therapy for adenocarcinoma of the rectum: what is now the appropriate distal resection margin (Mezhir et al). 2005;138:658-64

**Recurrent laryngeal nerve**

Intraoperative neurophysiology testing of the recurrent laryngeal nerve: plaudits and pitfalls (Snyder and Hendricks). 2005;138:1183-92

**Redox; see Oxidation-reduction**

**Reimbursement mechanisms**

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

**Reperfusion injury**

Carbon monoxide inhalation ameliorates cold ischemia/reperfusion injury after rat liver transplantation (Kaizu et al). 2005;138:229-35

Local inflammatory and thrombotic responses differ in a murine model of partial and complete hindlimb ischemia/reperfusion (Conrad et al). 2005;138:375-81

Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum-stress mediated apoptosis (Vilatoba et al). 2005;138:342-51

**Research, medical; see Biomedical research**

**Respiratory distress syndrome, adult**

Endothelium-dependent pulmonary artery vasorelaxation is dysfunctional in males but not females after acute lung injury (Tsai et al). 2005;138:78-84

Interleukin-1 $\beta$  is prominent in the early pulmonary inflammatory response after hepatic injury (Glasgow et al). 2005;138:64-70

**RET protein; see Proto-oncogene proteins**

**Reverse transcription polymerase chain reaction**

A six-gene model for differentiating benign from malignant thyroid tumors on the basis of gene expression (Rosen et al). 2005;138:1050-7

**Rib fractures**

Half-a-dozen ribs: the breakpoint for mortality (Flagel et al). 2005;138:717-25

**Robotics**

Computer-enhanced robotic telesurgery minimizes esophageal perforation during Heller myotomy (Melvin et al). 2005;138:553-9

**S**

**Salaries and fringe benefits**

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

**Sentinel lymph node biopsy**

Factors predicting failure to identify a sentinel lymph node in breast cancer (Chagpar et al). 2005;138:56-63

Intraoperative lymphatic mapping and sentinel lymph node biopsy using radioactive tracer in gastric cancer (Zulfikaroglu et al). 2005;138:899-904

Molecular analysis improves sensitivity of breast sentinel lymph node biopsy: results of a multi-institutional prospective cohort study (Mikhitarian et al). 2005;138:474-81

**Sex characteristics**

Endothelium-dependent pulmonary artery vasorelaxation is dysfunctional in males but not females after acute lung injury (Tsai et al). 2005;138:78-84

The influence of gender on human innate immunity (Imahara et al). 2005;138:275-82

Sexual dimorphism in myocardial tumor necrosis factor- $\alpha$  and cardiac function during endotoxin tolerance (Pitcher et al). 2005;138:223-8

**Shock, hemorrhagic**

Direct energy delivery improves tissue perfusion after resuscitated shock (Zakaria et al). 2005;138:195-203

Mechanism responsible for the salutary effects of flutamide on cardiac performance after trauma-hemorrhagic shock: upregulation of cardiomyocyte estrogen receptors (Yu et al). 2005;138:85-92

Prehospital hemoglobin-based oxygen carrier resuscitation attenuates postinjury acute lung injury (Masuno et al). 2005;138:335-41

Salutary effects of androstenediol on hepatic function after trauma-hemorrhage are mediated via peroxisome proliferators-activated receptor gamma (Shimizu et al). 2005;138:204-11

**Shock, septic**

Anesthesia-specific protection from endotoxic shock is not mediated through the vagus nerve (Fuentes et al). 2005;138:766-71

**Signal-regulated kinase; see Mitogen-activated protein kinase**

**Simulations; see Computer simulations**

**Small intestines**

Inhibition by nitric oxide and nonadrenergic, noncholinergic (NANC) nerves is preserved in a canine model of extrinsic denervation: implications for small bowel transplantation (Zyromski et al). 2005;138:905-12

**Smooth muscle cells; see Myocytes, smooth muscle**

**Social class**

Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68

**Society of University Surgeons**

Presidential address: Academic surgery: can we adapt (Mercer). 2005;138:115-24

**Socioeconomic factors**

Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68

**Spatial behavior**

Parathyroidectomy improves neurocognitive deficits in patients with primary hyperparathyroidism (Roman et al). 2005;138:1121-9

**Splenic artery**

Hemodynamic changes of splenogastric circulation after spleen-preserving pancreatectomy with excision of splenic artery and vein (Miura et al). 2005;138:518-22

**Splenic vein**

Hemodynamic changes of splenogastric circulation after spleen-preserving pancreatectomy with excision of splenic artery and vein (Miura et al). 2005;138:518-22

**Staphylococcus**

Molecular epidemiology of microbial contamination in the operating room environment: is there a risk for infection (Edmiston et al). 2005;138:573-82

**Stem cells**

Cell proliferation: a matter of time and place (Deane et al). 2005;138:1-7

**Stents**

Endovascular repair of thoracic aortic pathology with custom-made devices (Peterson et al). 2005;138:598-605

**Stomach diseases**

Rat gastric injury after lipopolysaccharide: role of inducible nitric oxide synthase (Robinson et al). 2005;138:523-9

**Stomach neoplasms**

Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68

Intraoperative lymphatic mapping and sentinel lymph node biopsy using radioactive tracer in gastric cancer (Zulfikaroglu et al). 2005;138:899-904

Re: "Laparoscopic assisted distal gastrectomy for early gastric cancer: five years' experience" (Huscher et al). 2005;138:543 (Letter)

**Stress, psychological**

Psychologic well-being of surgery residents after inception of the 80-hour workweek: a multi-institutional study (Zaré et al). 2005;138:150-7

**Suicide, assisted**

Physician-assisted suicide: has it come of age (Jones et al). 2005;138:105-8

**Surgeons**

Analysis of errors enacted by surgical trainees during skills training courses (Tang et al). 2005;138:14-20

A day in the life . . . (Daggett). 2005;138:538-9

How surgeons disclose medical errors to patients: a study using standardized patients (Chan et al). 2005;138:851-8

A little teaching point for the fellows ... (DeMatteo). 2005;138:959-60

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

**Surgery**

Of dodos and Goliath and alternative approaches to a common goal (Moss). 2005;138:411-4 (Letter reply)

Invited commentary: The Michigan Plan-is this a true partnership (Britt). 2005;138:820

The NSQIP: a new frontier in surgery (Khuri). 2005;138:837-43

Partnering with payers to improve surgical quality. the Michigan plan (Birkmeyer et al). 2005;138:815-20

Presidential address: Academic surgery: can we adapt (Mercer). 2005;138:115-24

President's address: Future challenges (Malangoni et al). 2005;138:547-52

Surgeon compensation: "pay for performance," the American College of Surgeons National Surgical Quality Improvement Program, the Surgical Care Improvement Program, and other considerations (Jones et al). 2005;138:829-36

Surgical application of cDNA microarray technique (Sahar et al). 2005;138:399-403

Washington State's approach to variability in surgical processes/outcomes: Surgical Clinical Outcomes Assessment Program (SCOAP) (Flum et al). 2005;138:821-8

**Surgical flaps**

A simple modification with the Limberg flap for chronic pilonidal disease (Tekin). 2005;138:951-3

**Surgical procedures, minimally invasive**

Comparative analysis of minimally invasive microductectomy versus major duct excision in patients with pathologic nipple discharge (Sharma et al). 2005;138:591-7

Outpatient minimally invasive parathyroidectomy using local/regional anesthesia: a safe and effective operative approach for selected patients (Cohen et al). 2005;138:681-9

**Surgical procedures, operative**

Surgical considerations in cystic fibrosis: a 32-year evaluation of outcomes (Escobar et al). 2005;138:560-72

Tweaking the Tools of "Quality" Measurement (Twomey). 2005;138:508-9

**Survivin; see Microtubule-associated proteins****Sweat glands**

Surgical treatment of hidradenitis suppurativa: a 10-year experience (Kagan et al). 2005;138:734-41

**Sympathectomy**

Endoscopic thoracic sympathectomy for palmar hyperhidrosis: efficacy of T2 and T3 ganglion resection (Yano et al). 2005;138:40-5

**T****T-lymphocytes**

The persistence of regulatory cells developing after rat spontaneous liver acceptance (Asakura et al). 2005;138:329-34

**T-lymphocytes, helper-inducer**

Melanoma skews dendritic cells to facilitate a T helper 2 profile (McCarter et al). 2005;138:321-8

**Task performance and analysis**

Feasibility, reliability and validity of an operative performance rating system for evaluating surgery residents (Larson et al). 2005;138:640-9

**Telemedicine**

Computer-enhanced robotic telesurgery minimizes esophageal perforation during Heller myotomy (Melvin et al). 2005;138:553-9

**Telomerase**

Long-term survival of pancreatic cancer patient diagnosed by positive telomerase activity of pancreatic juice (Murakami et al). 2005;138:962 (Letter)

**Terminal care**

Physician-assisted suicide: has it come of age (Jones et al). 2005;138:105-8

**Testicular feminization; see Androgen-insensitivity syndrome****Thoracic injuries**

Half-a-dozen ribs: the breakpoint for mortality (Flagel et al). 2005;138:717-25

**Thoracic surgery, video-assisted**

Systematic node dissection by VATS is not inferior to that through an open thoracotomy: a comparative clinicopathologic retrospective study (Watanabe et al). 2005;138:510-7

**Thoracotomy**

Systematic node dissection by VATS is not inferior to that through an open thoracotomy: a comparative clinicopathologic retrospective study (Watanabe et al). 2005;138:510-7

**Thrombomodulin**

C-reactive protein decreases expression of thrombomodulin and endothelial protein C receptor in human endothelial cells (Nan et al). 2005;138:212-22

**Thrombosis**

Local inflammatory and thrombotic responses differ in a murine model of partial and complete hindlimb ischemia/reperfusion (Conrad et al). 2005;138:375-81

**Thymus gland**

Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred (Takayashiki et al). 2005;138:254-60

**Thyroid diseases**

Fine-needle aspiration biopsy specimen with a predominance of Hürthle cells: a dilemma in the management of nodular thyroid disease (Alaeddin et al). 2005;138:650-7

**Thyroid neoplasms**

Diagnostic and prognostic value of angiogenesis-modulating genes in malignant thyroid neoplasms (Kebebew et al). 2005;138:1102-10

- Direct phosphorylation of proliferative and survival pathway proteins by RET (Panta et al). 2005;138:269-74
- Feasibility and benefit of fluorine 18-fluoro-2-deoxyglucose-guided surgery in the management of radioiodine-negative differentiated thyroid carcinoma metastases (Kraeber-Bodéré et al). 2005;138:1176-82
- Modulation of parathyroid hormone-related protein levels (PTHrP) in anaplastic thyroid cancer (Dackiw et al). 2005;138:456-63
- Molecular analysis of minimally invasive follicular carcinomas by gene profiling (Lubitz et al). 2005;138:1042-9
- MUC1 plays a role in tumor maintenance in aggressive thyroid carcinomas (Patel et al). 2005;138:994-1002
- Nodal yield, morbidity, and recurrence after central neck dissection for papillary thyroid carcinoma (Pereira et al). 2005;138:1095-101
- Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75
- Radioactive iodine offers survival improvement in patients with follicular carcinoma of the thyroid (Podnos et al). 2005;138:1072-7
- Selective arterial chemoembolization for hepatic metastases from medullary thyroid carcinoma (Lorenz et al). 2005;138:986-93
- A six-gene model for differentiating benign from malignant thyroid tumors on the basis of gene expression (Rosen et al). 2005;138:1050-7
- The treatment and prognosis of Hürthle cell follicular thyroid carcinoma compared with its non-Hürthle cell counterpart (Haigh and Urbach). 2005;138:1152-8
- Valproic acid inhibits growth, induces apoptosis, and modulates apoptosis-regulatory and differentiation gene expression in human thyroid cancer cells (Shen et al). 2005;138:979-85
- Thyroid nodule**
- Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75
- A six-gene model for differentiating benign from malignant thyroid tumors on the basis of gene expression (Rosen et al). 2005;138:1050-7
- Thyroidectomy**
- Nodal yield, morbidity, and recurrence after central neck dissection for papillary thyroid carcinoma (Pereira et al). 2005;138:1095-101
- Tomography, emission computed**
- Feasibility and benefit of fluorine 18-fluoro-2-deoxyglucose-guided surgery in the management of radioiodine-negative differentiated thyroid carcinoma metastases (Kraeber-Bodéré et al). 2005;138:1176-82
- Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75
- Tomography, x-ray computed**
- Preoperative evaluation of thyroid nodules with 18FDG-PET/CT (Mitchell et al). 2005;138:1166-75
- Training; see Education, medical, graduate**
- Trans-activators**
- Redox-mediated upregulation of hepatocyte iNOS transcription requires coactivator PC4 (Marroquin et al). 2005;138:93-9
- Transcription factors**
- Hairy Enhancer of Split-I (HES-1), a Notch1 effector, inhibits the growth of carcinoid tumor cells (Kunnimalaiyaan et al). 2005;138:1137-42
- Transplantation**
- Inhibition by nitric oxide and nonadrenergic, noncholinergic (NANC) nerves is preserved in a canine model of extrinsic denervation: implications for small bowel transplantation (Zyromski et al). 2005;138:905-12
- Transplantation, autologous**
- Long-term functionality of cryopreserved parathyroid autografts: a 13-year prospective analysis (Cohen et al). 2005;138:1033-41

**Transsexualism**

- A problematic complication of sex change operation (Nyomura et al). 2005;138:543-4 (Letter)

**Trauma; see Wounds and injuries**

**Treatment outcome**

- Introduction: the rise of translational outcomes research (Warshaw et al). 2005;138:813-4
- Invited commentary: The Michigan Plan-is this a true partnership (Britt). 2005;138:820
- The NSQIP: a new frontier in surgery (Khuri). 2005;138:837-43
- Partnering with payers to improve surgical quality. the Michigan plan (Birkmeyer et al). 2005;138:815-20
- Surgical considerations in cystic fibrosis: a 32-year evaluation of outcomes (Escobar et al). 2005;138:560-72
- Surgical outcome in patients with primary sclerosing cholangitis undergoing ileal pouch-anal anastomosis: a case-control study (Gorgun et al). 2005;138:631-9
- Washington State's approach to variability in surgical processes/outcomes: Surgical Clinical Outcomes Assessment Program (SCOAP) (Flum et al). 2005;138:821-8

**Tuberin; see Tumor suppressor proteins**

**Tuberous sclerosis**

- Expression and prognostic value of tuberous sclerosis complex 2 gene product tuberin in human pancreatic cancer (Kataoka et al). 2005;138:450-5

**Tumor necrosis factor**

- The influence of gender on human innate immunity (Imahara et al). 2005;138:275-82
- Role for the double-stranded RNA-activated protein kinase PKR in Ad-TNF- $\alpha$  gene therapy in esophageal cancer (von Holzen et al). 2005;138:261-8
- Sexual dimorphism in myocardial tumor necrosis factor- $\alpha$  and cardiac function during endotoxin tolerance (Pitcher et al). 2005;138:223-8

**Tumor necrosis factor- $\alpha$**

- Regulation of the resistance to TRAIL-induced apoptosis as a new strategy for pancreatic cancer (Mori et al). 2005;138:71-7
- Targeted RNA interference of PI3K pathway components sensitizes colon cancer cells to TNF-related apoptosis-inducing ligand (TRAIL) (Rychahou et al). 2005;138:391-7

**Tumor suppressor proteins**

- Expression and prognostic value of tuberous sclerosis complex 2 gene product tuberin in human pancreatic cancer (Kataoka et al). 2005;138:450-5

**Tyrphostins**

- Inhibition of tyrosine-kinase-mediated cellular signaling by tyrphostins AG 126 and AG556 modulates murine experimental acute pancreatitis (Balachandra et al). 2005;138:913-23

U

**Ubiquitins**

- Ubiquitin reduces fluid shifts after traumatic brain injury (Earle et al). 2005;138:431-8

**Ultrasonography**

- A prospective evaluation of laparoscopic exploration with intraoperative ultrasound as a technique for localizing sporadic insulinomas (Grover et al). 2005;138:1003-8
- Ultrasonography for the endocrine surgeon: a valuable clinical tool that enhances diagnostic and therapeutic outcomes (Milas et al). 2005;138:1193-201
- Use of surgeon-performed office ultrasound and parathyroid fine needle aspiration for complex parathyroid localization (Stephen et al). 2005;138:1143-51

**Ultrasonography, Doppler**

- Intrahepatic venous anastomosis formation of the right liver in living donor liver transplantation: evaluations by Doppler ultrasonography and pulse-inversion ultrasonography with Levovist (Kaneko et al). 2005;138:21-7



**V****Vagina**

A problematic complication of sex change operation (Nyomura et al). 2005;138:543-4 (Letter)

**Vagus nerve**

Anesthesia-specific protection from endotoxic shock is not mediated through the vagus nerve (Fuentes et al). 2005;138:766-71

**Valproic acid**

Valproic acid inhibits growth, induces apoptosis, and modulates apoptosis-regulatory and differentiation gene expression in human thyroid cancer cells (Shen et al). 2005;138:979-85

**Vasodilation**

Endothelium-dependent pulmonary artery vasorelaxation is dysfunctional in males but not females after acute lung injury (Tsai et al). 2005;138:78-84

**Venous thrombosis**

Prospective analysis of the incidence of deep venous thrombosis in bariatric surgery patients (Prystowsky et al). 2005;138:759-65

**Vitamin D deficiency**

Persistently elevated parathyroid hormone levels after parathyroid surgery (Wang et al). 2005;138:1130-6

**Vocal cords**

Intraoperative neurophysiology testing of the recurrent laryngeal nerve: plaudits and pitfalls (Snyder and Hendricks). 2005;138:1183-92

**Volvulus; see Intestinal obstruction****W****War**

A chairman's reflection in Iraq (Burris). 2005;138:103-4

**Washington**

Washington State's approach to variability in surgical processes/outcomes: Surgical Clinical Outcomes

Assessment Program (SCOAP) (Flum et al). 2005;138:821-8

**Work schedule tolerance**

Psychologic well-being of surgery residents after inception of the 80-hour workweek: a multi-institutional study (Zaré et al). 2005;138:150-7

Surgical residents' perceptions of the effects of the ACGME duty hour requirements 1 year after implementation (Irani et al). 2005;138:246-53

**Workload**

Psychologic well-being of surgery residents after inception of the 80-hour workweek: a multi-institutional study (Zaré et al). 2005;138:150-7

Surgical residents' perceptions of the effects of the ACGME duty hour requirements 1 year after implementation (Irani et al). 2005;138:246-53

**Wound healing**

Adenoviral gene transfer of an NF- $\kappa$ B super-repressor increases collagen deposition in rodent cutaneous wound healing (Schreiber et al). 2005;138:940-6

**Wounds and injuries**

The role of the lung in postinjury multiple organ failure (Ciesla et al). 2005;138:749-58

**Wounds, nonpenetrating**

Diagnosis and management of bile leaks after blunt liver injury (Wahl et al). 2005;138:742-8

Selective management of blunt hepatic injuries including nonoperative management is a safe and effective strategy (Christmas et al). 2005;138:606-11

**Z****Zollinger-Ellison syndrome**

Zollinger-Ellison syndrome caused by solitary gastrinoma blocking the pancreatic duct: enucleation and pancreatic duct repair (Clark et al). 2005;138:111-2