

- and asymptomatic bacteriuria after vaginal plastic surgery: a comparison of suprapubic and transurethral catheters. *Acta Obstet Gynecol Scand* 1989;68:453-5.
17. Vandoni RE, Lironi A, Tschantz P. Bacteriuria during urinary tract catheterization: suprapubic versus urethral route: a prospective randomized trial. *Acta Chir Belg* 1994;94:12-6.
 18. Platt R, Polk F, Murdock B, Rosner B. Mortality associated with nosocomial urinary-tract infection. *N Engl J Med* 1982;307:637-42.
 19. While JC, Blusse von Oud Albas A, Thewessen EA. Nosocomial catheter associated bacteriuria. *J Hosp Infect* 1993;27:599-602.
 20. Carson CC. Nosocomial urinary tract infection. *Surg Clin North Am* 1988;68:1147-55.
 21. Van der Wall E, Verkooyen RP, Mintjes-de Groot J, Oostinga J, Van Dijk A, Hustinx WN, et al. Prophylactic ciprofloxacin for catheter associated urinary tract infection. *Lancet* 1992;339:946-51.
 22. Mountokalakis TD, Betrosian AP. Ciprofloxacin to prevent catheter associated urinary tract infection. *Lancet* 1992;339:1422-3.
 23. Norman S. Postoperative urinary tract infection in urology and gynaecology: a review. *J Roy Soc Med* 1980;73:739-42.
 24. Nickel JC, Feero P, Costerton JW, Wilson E. Incidence and importance of bacteriuria in postoperative, short-term urinary catheterization. *Can J Surg* 1989;32:131-2.
 25. Peel AL, Benyon L, Grace RH. The value of routine preoperative urological assessment in patients undergoing elective surgery for diverticular disease or carcinoma of large bowel. *Br J Surg* 1980;67:42-45.
 26. MacFarlane JK, Ryall RD, Heald RJ. Mesorectal excision for rectal cancer. *Lancet* 1993;341:457-60.
 27. Lee JF, Maurer VM, Block GE. Anatomic relations of pelvic autonomic nerves to pelvic operation. *Arch Surg* 1973;107:324-8.
 28. Shapiro J, Hoffmann J, Jersky J. A comparison of suprapubic and transurethral drainage for postoperative urinary retention in general surgical patients. *Acta Chir Scand* 1982;148:323-7.
 29. Perrin LC, Penfold C, McLeish A. A prospective randomized controlled trial comparing suprapubic with urethral catheterization in rectal surgery. *Aust N Z J Surg* 1997;67:554-6.

CORRECTION

In the article "Surgical correction of primary hyperparathyroidism improves quality of life" (Burney RE, Jones KR, Peterson M, Christy B, Thompson NW. *Surgery* 1998;124:987-92) the incorrect illustration was reproduced for Figure 2 (page 988). The correct illustration and its legend appear below.




Fig 2. Radar plot showing SF-36 scores for patients with HPT at baseline (n = 40) and 2 months after operation (n = 103).